



Model 1100 SERIES

CHOPPER ROLLERS



Savannah®

AGRO-FORESTRY SOLUTIONS



AGRO-FORESTRY SOLUTIONS

Savannah Global Offers a Wide Range of Heavy-Duty Forestry and Brush Chopper Rollers.

Savannah® Choppers are simple, heavy-duty machines, built as single units in widths ranging from 6ft - 16ft or configured in tandem and 3 drum configurations.

Savannah® Heavy Duty Choppers are designed to perform in extreme forestry areas of heavy slash to speed up the process of material breakdown into mulch to reduce fire hazards and as a prior step to reforestation soil preparation.

Savannah® Heavy Duty Choppers The Savannah® Heavy Duty Line of Choppers come in 48", 52" and 60" drum diameters and use stub mounted axles and heavy-duty Timken Locomotive Bearing Assemblies.

Optimum chopping results are achieved during when material is dry; on hot summer days, or during winter frosts. In heavy debris, it is often more effective to chop twice, with about six months between treatments.



CHOPPER ROLLERS

Savannah Global also produces a lighter line of Brush Chopper Rollers for sapling over growth control in pasture management and forest under canopy control. These rollers feature Bolt-On Stub Axles and dual tapered roller bearings assemblies for improved durability and easier maintenance.

Savannah® Heavy Duty and Brush Chopper range of models all feature Bolt-On or Weld-On Blades, Straight or Segmented Staggered Blade Patterns, Wheel Carriages for improved transport from site to site, and Compression Spring Cushioned Drawbar Swivel that reduce stress load on the pulling prime mover.





FEATURES

- Built with High Tensile steel.
- Available in folding or removable arm configurations for improved transport.
- Greaseable, high tensile swivel drawbar tongue, for greatly extended service life
- High tensile stub axle for easy repair
- Weld-on chopper blades are standard with AR400 steel

OPTIONS

- Bolt on blade option doubles useful life of the blade
- Unique dual tapered locomotive roller bearing carrier assembly
- Compression Drawbar option to reduce drawbar chock force
- Wheel Carrier System





FEATURES

Frame Specification: 4" x 6.5" x ½" wall heavy duty tubing with fabricated blade holders and bearing brush deflectors for improved bearing life

- Drawbar Specification: 4" x 8" x ½" wall tubing, 2" T1 Lugs, and replaceable Swivel
- Pin on for various configurations, includes built in jack
- Roller Specification: 24" or 36" diameter Pipe with ½" wall
- Blades Specifications: 7" (standard) beveled AR400 Blades. 10" blades optional
- Configuration Options:
 - 1) Single Drum
 - 2) Tandem for Rear to Rear or Side to Side Running Configuration
 - 3) Wheel Landing System for ease of transport and loading. (See Wheeled Brush Choppers)

Savannah LD Class Choppers Rollers are simple, compact machines built for lower horsepower prime movers. These choppers can be pulled as single choppers or to increase production and efficiency as tandems attached front to back or side to side for wide swath coverage and can be filled with water or run empty.

The WLT Series include wheel landing systems for improved portability between sites. The size of these units makes them ideal for government, ranch, hunt club and private landowner use.

HEAVY DUTY WHEELED CHOPPERS





WHEELED BRUSH CHOPPERS

FEATURES


Frame Specification: 4" x 6.5" x ½" wall heavy duty tubing with fabricated blade holders and bearing brush deflectors for improved bearing life

- Drawbar Specification: 4" x 8" x ½" wall tubing, 2" T1 Lugs, and replaceable Swivel in jack
- Pin on for various configurations, includes built in jack
- Roller Specification: 24" or 36" diameter Pipe with ½" wall
- Blades Specifications: 7" (standard) beveled AR400 Blades. 10" blades optional
- Configuration Options:
 - 1) Single Drum
 - 2) Tandem for Rear to Rear or Side to Side Running Configuration
 - 3) Wheel Landing System for ease of transport and loading. (See Wheeled Brush Choppers)

Savannah LD Class Choppers Rollers are simple, compact machines built for lower horsepower prime movers. These choppers can be pulled as single choppers or to increase production and efficiency as tandems attached front to back or side to side for wide swath coverage and can be filled with water or run empty.

The WLT Series include wheel landing systems for improved portability between sites. The size of these units makes them ideal for government, ranch, hunt club and private landowner use.





Savannah®

AGRO-FORESTRY SOLUTIONS

FEATURES

Frame Specification: 4" x 6.5" x ½" wall heavy duty tubing with fabricated blade holders and bearing brush deflectors for improved bearing life

- Drawbar Specification: 4" x 8" x ½" wall tubing, 2" T1 Lugs, and replaceable Swivel
- Pin on for various configurations, includes built in jack
- Roller Specification: 24" or 36" diameter Pipe with ½" wall
- Blades Specifications: 7" (standard) beveled AR400 Blades. 10" blades optional
- Configuration Options:
 - 1) Single Drum
 - 2) Tandem for Rear to Rear or Side to Side Running Configuration
 - 3) Wheel Landing System for ease of transport and loading. (See Wheeled Brush Choppers)

Savannah LD Class Choppers Rollers are simple, compact machines built for lower horsepower prime movers. These choppers can be pulled as single choppers or to increase production and efficiency as tandems attached front to back or side to side for wide swath coverage and can be filled with water or run empty.

The WLT Series include wheel landing systems for improved portability between sites. The size of these units makes them ideal for government, ranch, hunt club and private landowner use.





Savannah®

AGRO-FORESTRY SOLUTIONS

Specifications	Model 1120	Model 1110	Model 1108	Model 1107
Drum Width	12'	10'	8'	7'
Overall Width	13' 11"	11' 11"	9' 11"	8' 11"
Drum Diameter	60" (72" Option)	60" (72" Option)	60"/48"	60"/48"
Drawbar Style	Folding Option	Folding Option	Fixed	Fixed
Operating Weight Empty	22,000 lbs	15,500 lbs	12,000 lbs	10,300 lbs
Operating Weight Full	36,000 lbs	27,500 lbs	20,900 lbs	18,200 lbs
Blades Specifications	12-1"x10"	12-1"x10"	12-1"x10"/10-1"x10"	10-1"x10"/12-1"x10"
Hp Requirements	>200	>175	>125	>90
Bolt on Blade Option	Yes	Yes	Yes	Yes
Compression Drawbar Option	Yes	Yes	Yes	Yes
Available in Tandem?	Yes	Yes	Yes	Yes

Specifications	Model 1112LD-24	Model 1112LD-36	Model 1110LD-24	Model 1110LD-36	Model 1108LD-24	Model 1108LD-36
Drum width	12 ft	12 ft	10 ft	10 ft	8 ft	8 ft
Drum diameter	24"	36"	24"	36"	24"	36"
Drawbar style	Removable	Removable	Removable	Removable	Removable	Removable
Operating weights:						
Weight empty*	6000 lbs	7500 lbs	5,600 lbs	6,900 lbs	5,000 lbs	6,000 lbs
Filled w/water	9,300 lbs	10,100 lbs	7,900 lbs	8,600 lbs	6,900 lbs	7,700 lbs
Horsepower Track/Tire Tractor	80/110 hp	100/110 hp	70/90 hp	80/90 hp	70/90 hp	70/90 hp





AGRO-FORESTRY SOLUTIONS

Savannah Global Solutions, LLC
147 East Industrial Blvd
Pembroke, GA 31321
United States



savannahglobal.com

DEALER INFORMATION

